

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("20040256439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/06 11:23
L3	1456	228/112.1-114.5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:26
L4	841	228/2.1-2.3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:26
L5	1460	228/212-213.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:27
L6	1639	228/44.3-44.7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:27
L7	1160	228/49.1-49.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:27
L8	750	156/73.5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:29
L9	6101	3 or 4 or 5 or 6 or 7 or 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:30

L10	158	9 and (first adj clamp\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:30
L11	132	10 and (second adj clamp\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:31
L12	1	9 and ((second or secondary) adj clamp\$5) with surround\$9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:32
L13	751	clamp\$5 with (friction or frictional or inertia) near3 weld\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:33
L14	1	13 and ((second or secondary) adj clamp\$5) with surround\$9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:34
L15	156	9 and clamp\$5 with opposite with end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:35
L16	34	13 and clamp\$5 with opposite with end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:35
L17	90	9 and (axial or axially) with (align or aligns or aligned or aligning or alignment\$5) with clamp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:37

L18	23	13 and (axial or axially) with (align or aligns or aligned or aligning or alignment\$5) with clamp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:37
L19	43987	(long or elongat\$9) near (part or parts or workpiece or workpieces or component or components)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:42
L20	211	19 and clamp\$5 with opposite with end with (part or parts or workpiece or workpieces or component or components)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:43
L21	15416	(friction or frictional\$5 or inertia) near3 weld\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:47
L22	15945	21 or 2 or 4 or 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:47
L23	34	22 and (move or moves or moving or moveabl\$5 or movement) with ((first or second) adj clamp\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:48
L24	619	22 and (move or moves or moving or moveabl\$5 or movement) with (clamp\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:49
L25	69	24 and clamp\$5 with opposite with (end or ends)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:50

L26	624	11 or 12 or 14 or 15 or 16 or 17 or 18 or 20 or 23 or 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/06 11:51
-----	-----	--	---	----	-----	---------------------

8/ 6/ 2008 11:52:07 AM

C:\Documents and Settings\kstoner\My Documents\EAST\Workspaces\i'mback.wsp